


The easy way to perfect Home Cinema Experiences

Everybody talks about the great experiences you can have from an complete Surround Sound set-up in your television room, but very few offers as many different possibilities as Dantax. Dantax brings you multiple choises, all in very high quality, but very different in design and style, and naturally in technical specifications - all to satisfy your needs and wishes.



Dantax Home Cinema Systems - you will know it, when you hear it!

Dantax Home Cinema Systems has developed, from being simple and functional solutions, to state-of-the-art quality systems in a rich variety of designs, matching almost every demand for an individual and customised Home Cinema Surround Sound solution. Look at the nice designs, and connect - superior, powerfull and breathtaking adventures awaits in your personal Home Cinema hall - so please be seated, and be entertained.

Dantax - providing you with quality home entertainment products

Dantax gives you much more than unique sound systems - at our homepage www.dantaxradio.dk you can see the wide range of Home Entertainment products that will give you a joyfull and pleasant lifestyle - welcome at the Dantax homepage!



Pipeline

Front speakers:

- 4 x 3" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response: 85 Hz - 20 Khz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 95 x 1180 x 95 mm
- Cabinet: Chrome or Black

Pipeline

Rear speakers:

- 4 x 3" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response: 85 Hz - 20 Khz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 95 x 1180 x 95 mm
- Cabinet: Chrome or Black

Pipeline

Center speaker:

- 2 x 3" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response: 130 Hz - 20 Khz
- Impedance: 4 ~ 8 Ohm
- Desktop or Wall mounting
- Dimensions (WxHxD): 330 x 95 x 95 mm
- Cabinet: Chrome or Black

Pipeline

Subwoofer:

- See page 10

Tube Classic



Tube Classic

Front speakers:

- 1 x 6,5" woofer
- 1 x 4" Midrange
- Dome tweeter
- Power handling: 80-100 Watt
- Frequency response: 85 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 200 x 807 x 200 mm
- Cabinet: Black or White

Tube Classic

Rear speakers:

- 1 x 6,5" woofer
- 1 x 4" Midrange
- Dome tweeter
- Power handling: 80-100 Watt
- Frequency response: 85 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 200 x 807 x 200 mm
- Cabinet: Black or White

Tube Classic

Center Speaker:

- 2 x 3" Full Range
- Power handling: 50-80 Watt
- Frequency response: 160 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 350 x 170 x 140 mm
- Cabinet: Black or White

Tube Classic

Subwoofer:

- See page 10



**SUB
WOOFER**
See page 10

Innovation World

Front speakers:

- 4 x 4" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response: 60 Hz - 20 Khz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 150 x 1310 x 155 mm
- Cabinet: Aluminium/Glossy black

Innovation World

Rear speakers:

- 4 x 4" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response: 60 Hz - 20 Khz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 150 x 1310 x 155 mm
- Cabinet: Aluminium/Glossy black

Innovation World

Center Speaker:

- 2 x 4" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response: 80 Hz - 20 Khz
- Impedance: 4 ~ 8 Ohm
- Dimensions (WxHxD): 435 x 150 x 155 mm
- Cabinet: Aluminium/Glossy black

Innovation World

Subwoofer:

- See page 10



New Century

Front speakers:

- 2 x 6,5" woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response 30 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Maple
- Dimensions: (WxHxD)
200 x 1015 x 310 mm

Rear speakers:

- 1 x 4" woofer
- 1 x Dome tweeter
- Power handling: 60-80 Watt
- Frequency response 50 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Maple
- Dimensions: (WxHxD)
135 x 250 x 160 mm

Center speaker:

- 2 x 4" woofer
- 1 x Dome tweeter
- Power handling: 80-120 Watt
- Frequency response 50 Hz - 12 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Maple
- Dimensions: Center (WxHxD)
530 x 135 x 160 mm



Opus Cinema

Front speakers:

- 2 x 6" Coated woofer
- 1 x Dome tweeter
- Power handling: 80-150 Watt
- Frequency response 50 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Maple
- Dimensions: (WxHxD)
180 x 1050 x 340 mm

Rear speakers:

- 1 x 4" Coated woofer
- 1 x Dome tweeter
- Power handling: 60-80 Watt
- Frequency response 60 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Maple
- Dimensions: (WxHxD)
150 x 285 x 160 mm

Center speaker:

- 2 x 4" Coated woofer
- 1 x Dome tweeter
- Power handling: 80-120 Watt
- Frequency response 60 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Maple
- Dimensions: (WxHxD)
500 x 150 x 160 mm



New Magic

Front speakers:

- 2 x 3" woofer
- 1 x Dome tweeter
- Power handling: 80-120 Watt
- Frequency response 60 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Glossy black/black
- Dimensions: (WxHxD)
100 x 1015 x 160 mm

Rear speakers:

- 1 x 3" woofer
- 1 x Dome tweeter
- Power handling: 60-80 Watt
- Frequency response 80 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Glossy black/black
- Dimensions: Rear (WxHxD)
100 x 250 x 160 mm

Center speaker:

- 2 x 4" woofer
- 1 x Dome tweeter
- Power handling: 60-80 Watt
- Frequency response 80 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Glossy black/black
- Dimensions: Center (WxHxD)
530 x 100 x 160 mm



P 2500

- 3 way Bass reflex
- 2 x 10" Coated woofers
- 1 x 5" Midrange
- 1 x 1" Dome tweeter
- Power handling: max. 250 Watt
- Frequency response 25 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Black or Beech
- Dimensions: (WxDxH)
350 x 1100 x 380 mm



P 4000 Extreme

- 3 way Bass reflex
- 1 x 15" Coated woofer
- 1 x 5" Midrange
- 1 x 1" Horn
- Power handling: max. 400 Watt
- Frequency response: 25 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Black
- Handle and wheels
- Dimensions: (WxDxH)
450 x 1000 x 380 mm



Home Cinema Systems



Universe

Front & Rear speakers:

- 2 x 2" woofer (front)
- 1 x 2" woofer (rear)
- 1 x Dome tweeter
- Power handling: 50 Watt
- Frequency response 130 Hz - 20 KHz
- Cabinet: Silver
- Dimensions: (WxHxD)
78 x 1015 x 105 mm

Center speaker:

- 2 x 2" woofer
- 1 x Dome tweeter
- Power handling: 50 Watt
- Frequency response 130 Hz - 20 KHz
- Cabinet: Silver
- Dimensions: (WxHxD)
330 x 78 x 105 mm

Passive Subwoofer:

- 1 x 6" woofer
- Power handling: 60 Watt
- Frequency response 60 - 150 Hz
- Cabinet: Silver
- Dimensions: (WxHxD)
240 x 380 x 320 mm



Vision 1

Front & Rear speakers:

- 2 x 2" woofer
- 1 x Dome tweeter
- Power handling: 50 Watt
- Frequency response: 130 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Silver or Black
- Dimensions: (WxHxD)
45 x 1030 x 69 mm

Center speaker:

- 2 x 4" woofer
- 1 x Dome tweeter
- Power handling: 50 Watt
- Frequency response: 80 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Silver or Black
- Desktop or Wall mounting
- Dimensions: (WxHxD)
320 x 45 x 69 mm

Active Subwoofer:

- 1 x 6" Special woofer
- 5.1 Output Power (totally 60 Watt)
- Frequency response: 60-150 Hz
- Impedance: 4 ~ 8 Ohm
- Bass, Treble and Balance controls
- Full function Remote Control
- Cabinet: Silver or Black
- Dimensions: (WxHxD)
182 x 405 x 415 mm



Vision 8

Front & Rear speakers:

- 2 x 2" woofer
- 1 x Dome tweeter
- Power handling: 50 Watt
- Frequency response 130 Hz - 20 KHz
- Cabinet: Black or Silver
- Dimensions: (WxHxD)
42 x 1000 x 60 mm

Center speaker:

- 2 x 2" woofer
- 1 x Dome tweeter
- Power handling: 50 Watt
- Frequency response 130 Hz - 20 KHz
- Cabinet: Black or Silver
- Desktop or Wall mounting
- Dimensions: Center (WxHxD)
320 x 42 x 60 mm

Subwoofer:

- See page 10



Advantage

Front speakers:

- 4 x 3" woofer
- 1 x Dome tweeter
- Power handling: 80-120 Watt
- Frequency response: 60 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Black
- Dimensions: (WxHxD)
115 x 1120 x 125 mm


Rear speakers:

- 2 x 3" woofer
- 1 x Dome tweeter
- Power handling: 80-100 Watt
- Frequency response: 80 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Black
- Dimensions: (WxHxD)
115 x 1120 x 125 mm

Center speaker:

- 4 x 3" woofer
- 1 x Dome tweeter
- Power handling: 60-100 Watt
- Frequency response: 130 Hz - 20 KHz
- Impedance: 4 ~ 8 Ohm
- Cabinet: Cherry or Black
- Dimensions: Center (WxHxD)
530 x 125 x 115 mm





Pipeline Active Sub

- 1 x 8" High Excursion Woofer
- Output Power: 80 Watt
- Independent Volume
- Frequency response: 50 - 250 Hz (adjustable)
- Impedance: 8 Ohm
- Auto Power On/Off
- Subwoofer RCA line-in
- Cabinet: Chrome or Black
- Dimensions: (WxHxD) 305 x 380 x 305 mm

Auto Power On/off / Volume Control / Power LED Indicator / Line In / Speaker Terminal In / HI Cut Frequency / Phase Select.



Tube Classic Active Sub

- 1 x 8" High Excursion Woofer
- Output Power: 80 Watt
- Independent Volume
- Frequency response: 50 - 250 Hz (adjustable)
- Impedance: 8 Ohm
- Auto Power On/Off
- Subwoofer RCA line-in
- Cabinet: Black or White
- Dimensions (WxHxD): 250 x 705 x 250 mm

Auto Power On/off / Volume Control / Power LED Indicator / Line In / Speaker Terminal In / HI Cut Frequency / Phase Select.

**CURVED
DESIGN
FEATURE**



8" Active Sub

- 1 x 8" High Excursion Woofer
- Output Power: 80 Watt
- Independent Volume
- Frequency response: 38 - 250 Hz (adjustable)
- Impedance: 8 Ohm
- Auto Power On/Off
- Subwoofer RCA line-in
- Cabinet: Black, Cherry, Beech or Maple
- Dimensions: (WxHxD) 295 x 445 x 410 mm

Auto Power On/off / Volume Control / Power LED Indicator / Line In / Speaker Terminal In / HI Cut Frequency / Phase Select.

**CURVED
DESIGN
FEATURE**



12" Active Sub

- 1 x 12" High Excursion Woofer
- Output Power: 150 Watt
- Independent Volume
- Frequency response: 30 - 250 Hz (adjustable)
- Impedance: 8 Ohm
- Auto Power On/Off
- Subwoofer RCA line-in
- Cabinet: Black, Cherry, Beech or Maple
- Dimensions: (WxHxD) 330 x 490 x 420 mm

Auto Power On/off / Volume Control / Power LED Indicator / Line In / Speaker Terminal In / HI Cut Frequency / Phase Select.

**MIRROR
LENS AND
ALUMINIUM
FRONT**



Pro 2020 FM/AM Digital Receiver with 5.1 AC3 Decoder and RDS

- Output Power: 5 x 35 Watt RMS
- Subwoofer Signal Out
- Dolby digital AC3 decoder
- 8 DSP modes
- VFD display
- 360 degree encoder switch for master volume control
- Optical input
- Coaxial input
- 4 Video input
- Circuit protector built-in
- Remote control
- 32 stations FM/AM random preset memory
- 4 composite video output
- Dimensions: (WxDxH) 430 x 380 x 164 mm
- Cabinet: Silver/mirror or Black/mirror

**MIRROR
LENS AND
ALUMINIUM
FRONT**



Pro 2030 FM/AM Digital Receiver with 5.1 AC3 Decoder and RDS

- Output Power: 5 x 100 Watt RMS
- Subwoofer Signal Out
- Dolby digital AC3 decoder
- 8 DSP modes
- VFD display
- 360 degree encoder switch for master volume control
- Optical input
- Coaxial input
- 4 Video input
- 3 S-Video in/1x S-Video (Monitor)
- Circuit protector built-in
- Remote control
- 32 stations FM/AM random preset memory
- 4 composite video output
- Dimensions: (WxDxH) 430 x 380 x 164 mm
- Cabinet: Silver/mirror or Black/mirror

Multimedia Systems/Extra Speaker/Wireless Audio

MAGNETIC SHIELDED SATELLITE



PC-3 Multimedia Speakers 2.1 Channel

Satellite speakers:

- 3 x 1" Components
- Power handling: 20 Watt
- Magnetically Shielded
- Cabinet: Silver, Black or White
- Dimensions (WxHxD): 55 x 250 x 90 mm

Active Subwoofer:

- Power handling: 30 Watt
- Cabinet: Silver/Black
- Line Out
- Bass Reflex
- Bass, Treble and Volume Control
- Dimensions (WxHxD): 185 x 255 x 245 mm




X-70 Extra Speakers

- 1 x 4" Full Range Speaker
- Power handling: 70 Watt
- Frequency Response: 38 Hz - 90 KHz
- Impedance: 4 ~ 8 Ohm
- Volume Control
- Cabinet: Black or White
- Dimensions: (WxHxD) 170 x 280 x 125 mm

WAS-55

Digital Wireless Audio System for Rear Speakers

- 2.4 GHz Signal broadcasting
- Max 15 m transmission distance (straight line)
- 2 x 20 Watt power output
- 4 Ohm
- Desktop or wallmount
- 2 x Speaker Connection
- Color: Silver



15m



Dantax Radio A/S
Bransagervej 15
DK-9490 Pandrup

Denmark:
Tel. (+45) 98 24 76 77
Fax (+45) 98 20 40 15

Sweden:
Tel. (+46) 0470 455 50
Fax (+46) 0470 468 50

Norway:
Tel. (+47) 67 06 77 30
Fax (+47) 67 06 77 31

Iceland:
Tel. (+354) 568 9090
Fax (+354) 568 0390

Finland:
Tel. (+358) 09 2533 8200
Fax (+358) 09 2533 8220

www.dantaxradio.dk

Dealer: